Name:

Enrolment No:



UPES

End Semester Examination, May 2025

Course: Chemistry Semester: II

Program: B.Tech. ASE + ME + AE + EE + ECE Time : 03 hrs.
Course Code: CHEM1013 Max. Marks: 100

Instructions: Read all the instructions below carefully and follow them strictly.

1) Mention Roll No. at the top of the question paper.

2) Internal choice is given in Q. no. 8 and 10.

3) ATTEMPT ALL THE PARTS OF A QUESTION AT ONE PLACE ONLY.

SECTION A (5Qx4M=20Marks)

S. No.		Marks	CO		
Q 1	Explain catalytic cracking of hydrocarbons with examples.	4	CO1		
Q 2	At 500^{0} C, the reaction between N ₂ and H ₂ to form ammonia has $K_{c} = 12.0 \times 10^{-2}$. What is the value of K_{p} for the reaction? (Given gas constant = 0.0821 L atm K ⁻¹ mol ⁻¹)	4	CO2		
Q 3	Derive the rate expression for a unimolecular reaction at low pressure according to Lindemann theory.	4	CO2		
Q 4	For a certain first order reaction, $t_{0.5}$ is 200 s. Calculate the time required for 75% completion of a reaction.	4	CO2		
Q 5	Explain synthesis of nanomaterials using microemulsion method.	4	CO5		
SECTION B					
(4Qx10M= 40 Marks)					
Q 6	The molar conductance of CH ₃ COONa, HCl and NaCl at infinite dilution are 91x10 ⁻⁴ , 426.16x10 ⁻⁴ and 126.45x10 ⁻⁴ Sm ² mol ⁻¹ , respectively at 25°C. Calculate the molar conductance at infinite dilution for CH ₃ COOH. If molar conductance of 0.01M aqueous solution of CH ₃ COOH is 16.32x10 ⁻⁴ Sm ² mol ⁻¹ , calculate the degree of dissociation of CH ₃ COOH.	10	CO3		
Q 7	A 100ml sample of water required 13.5ml of 0.02 M EDTA solution for titration using EBT as indicator. Another 100ml of water from the same source was boiled and precipitates were removed by filtration. The	10	CO4		

	filtrate required 6ml of 0.02 M EDTA for titration. Calculate total hardness, permanent hardness and temporary hardness of water sample.				
Q 8	a) Provide a brief overview of the bulk polymerization method, including its key advantages and disadvantages. OR Write the molecular structure of the polymer and its monomer unit, used for the manufacture of tyres and contact lenses.	5	CO5		
	b) Define thermoplastics and thermosets. OR Calculate the number average molecular mass of a polymer having 30 molecules with molecular mass 4000 each, 30 molecules with molecular mass 6000 each and 40 molecules with molecular mass 8000 each.	5			
Q 9	 a) 0.2346 g of an organic substance gave on combustion 0.2754 g of CO₂ and 0.4488 g of water. Calculate the % of carbon and hydrogen in it. b) Define octane number and mention four methods used to increase it. 	5 + 5	CO1		
	SECTION-C (2Qx20M=40 Marks)				
Q 10	a) Explain the following graph				
	Conductance A B Volume of NaOH added	10			
	OR The standard reduction potentials of Cu ⁺² /Cu and Ag ⁺ /Ag electrodes are +0.337 and +0.799V, respectively. Construct a galvanic cell using these electrodes so that its standard EMF is		CO3		
	positive. For what concentration of Ag ⁺ will the EMF of the cell at 25°C be zero if the concentration of Cu ⁺² is 0.01M?				

Q 11	a) A sample of water contains the following impurities: MgSO ₄ = 60 mg/l, CaSO ₄ = 68 mg/l, Mg(HCO ₃) ₂ = 146 mg/l, CaCl ₂ = 111 mg/l. Calculate the quantity of lime (70% pure) and soda (95% pure) needed for softening 4000 l of water. (Given atomic wt. H=1, C=12, O=16, Cl=35.5, Mg=24, S=32, Ca=40).	10	CO4
	b) With the help of suitable reactions, explain the process of purification of water by ion-exchange method. Write advantages and disadvantages of the method.	10	