



UNIVERSITY OF PETROLEUM AND ENERGY STUDIES
End Semester Examination, December 2020


Course: TPM & TQM (HSFS8001)
Program: M. Tech (HSE)
Number of pages: 2
100

Semester: III
Time: 03 hrs.
Max. Marks:

SECTION A
(6X5=30)

S. No.		Marks	CO
Q1	Fill in the blank a) "KAI-ZEN" Means..... b) Concept of "Zero Defect" is given by..... c) 'Trilogy of Quality' was introduced by d) "Yield Losses" belongs to..... e) "Fitness for Use" was given by.....	5 (1x5=5)	CO1
Q2	TRUE/FALSE Which of the following statements are true? a) Only Top management is responsible for TQM (T/F) b) Quality is not only products and services but also includes people, processes, and the environment (T/F) c) Dr. Edward Deming coined the term "Big Q". (T/F) d) 'Prevention cost' is inversely proportional to appraisal costs.(T/F) e) The term total quality control was describe by A. Fergenbaum. (T/F)	5 (1x5=5)	CO2
Q3	Assuming a normal distribution with mean μ and standard deviation σ , express the interval to contain 90% of observations in terms of μ and σ . a) $\mu \pm 0.645\sigma$ b) $\mu \pm 1.645\sigma$ c) $\mu \pm 2.645\sigma$ d) $\mu \pm 0.0645\sigma$ e) None of the above	5	CO2
Q4	A production process makes batteries for 9 +/- .025 volts applications at a cost of \$0.75 each. Determine Taguchis Loss when a part is made at 9.10. a) \$ 0.12/part b) \$ 1.20/part c) \$ 1200/part d) \$ 12.00/part e) None of the above	5	CO3


Q5	Is there any relationship between specification limits and control limits of \bar{x} -bar and R charts? a) Yes, Specification limits = Control limits b) Yes, Control limits=Specification limits/2 c) No d) Yes, Control limits*0.5 = Specification limits f) None of the above is right	5	CO4
Q6	From past experience, a manufacturer concludes that the burnout time of a particular light bulb follows a normal distribution. A sample of 1000 bulbs has been tested and the average life found to be 60 days with a standard deviation of 20 days. How many bulbs in the entire population of light bulbs can be expected to be still working after 100 days of life? a) 37 b) 29 c) 44 d) 23 e) None of the above	5	CO2
SECTION B (5X10=50)			
Q1	Write the short notes on the following a) JIT b) CAPA c) 5-S d) Benchmarking e) Six Big Losses in TPM	10 (2X5)	CO1
Q2	a) The weights of bags of chips for a vending machine are normally distributed with a mean of 1.25 ounces and a standard deviation of 0.1 ounce. Bags that have weights in the lower 8% are too light and will not work in the machine. What is the least a bag of chips can weigh and still work in the machine? b) What is the role and responsibility of MR in implementing QMS	10 (6+4)	CO2
Q3	a) What is producer and consumer risk involve in sampling? Draw the flow chart to explain the double sampling plan? b) A spindle with specification 20+/-0.05 mm was machined in a lathe. The standard deviation of the spindle machined was found to be 0.25 mm. Compute the capability ratio Cp and capability index Cpk. State whether the machining process in the lathe is capable of meeting specifications.	10 (5+5)	CO3
Q4	a) What is Robust Designing? Explain with example? b) What are the four phases of QFD when applied in manufacturing sector?	10 (5+5)	CO2
Q5	a) Write all the clauses and sub clauses of ISO 14001:2015 EMS.? b) Write the formula of reliability in term of MTBF? Calculate the overall reliability of the system if individual reliability of each sub system is 0.2?	10 (5+5)	CO3



SECTION-C
(1X20=20)

Q11	<p>(a) Briefly explain the role of TPM in industrial growth? Write the steps of implementing TPM in an any organization?</p> <p>(b) In total 7164 parts was produced in manufacturing unit in 8 hour working shift with two 10 minute planned breaks and a 5 minute defined clean up period. Calculate OEE if machine is not functional nearly 32 minutes (unplanned down time). Given Rejection-8% and Production Cycle- 0.3parts/sec).</p>	<p>20 (8+12)</p>	<p>CO4</p>
-----	--	------------------------------------	-------------------

Standard Normal Cumulative Probability Table



Cumulative probabilities for **NEGATIVE** z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

