

UNIVERSITY OF PETROLEUM AND ENERGY STUDIES <u>End Semester Examination, JAN 2021</u>

Course: RESEARCH METHODOLOGY AND BIOSTATISTIC ()

Program: M.Sc. (SOHS) Number of pages: 2 Semester: I Time: 03 hrs. Max. Marks: 100

SECTION A (6X5=30)

S. No.		Marks	СО
Q1	Approaches to Quantitative Research are: (Choose appropriate options) a) Inferential. b) Group Interviews. c) Experimental. d) Depth interviews. e) Simulation.	5	CO1
Q2	f) All of the above. Match the following: a) Descriptive research b) Applied research c) Fundamental research d) Conceptual research e) Experimental research e) Simulation: 1. Deals with ideas leading to more ideas. 2. Deals with checking out quantities. 3. Finds solution, mostly, to immediate problems. 4. Leads to foundations for larger understanding. 5. Does not deal with how/when	5	CO3
Q3	If there is a very strong correlation between two variables then the correlation coefficient must be a)any value larger than 1 b) much smaller than 0 but greater than or equal to -1, if the correlation is negative c)much larger than 0, regardless of whether the correlation is negative or positive d)None of these alternatives is correct.	5	CO4
Q4	Assuming a normal distribution with mean μ and standard deviation σ , express the interval to contain approx. 65% of observations in terms of μ and σ . a) $\mu \pm \sigma$ b) $\mu \pm 2\sigma$ c) $\mu \pm 3\sigma$ d) None of the above	5	CO2
Q5	A First-aid box contains three types of tablets, Digine (X in numbers), Paracetamole (Y in numbers) and Crocine (Z in numbers) A tablet is drawn at the random, then what is the probability of drawing a Paracetamole. a)Y/(X-Y+Z) b)Y/(X+Y-Z) c)Y/(X+Y+Z) d) None of the above	5	CO1

Q6	In a moderately symmetr related as: (a) Mean - Mode = 3(Mean (b) Mean - Median = 2(Mean (c) Median - Mode = (Mean (d) Median - Mode = (Mean (d) Median - Median (d)	5	CO5					
	(d) Mode – Median = 2Me	an – 2Media	n SECTIO	NR				
			(5X10=					
Q1	What according to you are your choices.	important c	omponents	of a Resea	arch Repor	t? Support	10 (6+4)	CO1
Q2	What is sampling? Explain it?	10 (3+7)	CO3					
Q3	What is the difference between two or more groups? Expl	10 (6+4)	CO4					
Q4	Daily Income (in Rs) Number of Workers Convert the distribution ab and draw its ogive.	100-120	120-140	140-160	160-180	180-200		
	Or (a)What is the difference of Give example of each type (b) From a bag of red and "X" if the probability of pick	10	CO2					
Q5	Write the short notes on the following a) Scatter Plot b) Use of Bar Chart							CO4
			SECTIO (1X20=					
Q11	a)What is the use of normal distribution in research analysis? Explain with example? b)Typical Tensile Strength of bars used in pharma manufacturing unit are normally distributed with mean is 70 and standard deviation 10.(i)What is the probability of bars has less than 50 tensile strength? ii) What is the probability of bar having between 60 and 80 units of tensile strength?							CO4





Table entry for z is the area under the standard normal curve to the left of z.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
0.3	.6179	.6217	.6255	.6293	.6331	.6368	,6406	.6443	.6480	.6517
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	,8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	,9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	,9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	,9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	,9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	,9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	,9995	,9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

Standard Normal Cumulative Probability Table



Cumulative probabilities for NEGATIVE z-values are shown in the following table:

Z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	80.0	0.09
3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
3.1	0.0010	0.0009	0.0009	0.0009	0.0008	8000.0	0.0008	0.0008	0.0007	0.0007
3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0894	0.0681
1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
8.0	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2208	0.2177	0.2148
0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
0.3	0.3821	0.3783	0.3745	0.3707	0.3869	0.3632	0.3594	0.3557	0.3520	0.3483
0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
0.1	0.4802	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641