

	ii. How many bits are required for physical address?						
8	a) Suppose that the disk rotates at 7200 rpm. What is the average rotational latency of this disk drive?b) Discuss any two File Allocation Techniques.						
9	a) Draw neat diagram of process life cycle. b) For each of the following transition between processes states, indicate whether the transition is possible. If it is possible, give an example of one thing that would cause it. a) Run → Ready b) Run → Blocked c) Blocked → Run d) Run → Terminated e) Blocked → Terminate	CO2					
10	Available tracks are 39, 18, 90,160,150,184,38,55,58 and initial head position is at 100, Compute with proper graphical representation average seek time require for shortest seek time first algorithm.						
11	Show whether deadlock is present in the following graph or not justify properly. (1) P_1 P_2 P_3 P_4 $P_$	CO3					
	SECTION C	1					

SECTION C

CO4, CO6

1. Each Question carries 20 Marks.

P4

2. Instruction: Write long answer.

12	a) Consider the following snapshot of a system										
		Process		Allocation		Max					
		110008	A	В	C	A	В	C			
		P0	0	1	0	7	5	3			
		P1	2	0	0	3	2	2			
		P2	3	0	2	9	0	2			
		P3	2	1	1	2	2	2			

Let the available number of resources be given by available vector as (3, 3, 2). Use Banker's algorithm and answer:

a) Find the contents of the matrix 'Need'.

0

- b) Is the system in a safe-state?
- c) If a request from process P4 for (3, 3, 2) arrives, can it be granted immediately?

OR

a) Used Hole Used Hole Used Hole Used Hole Used Hole Used Hole 10K 10K 20K 30K 10K 5K 30K 20K 10K 15K 20K 20K

If additional requests for 20K, 10K, and 5K (in that order) are received, then what will be the starting address at which each of the additional requests are allocated using:

- a) First-fit policy
- b) Best-fit policy
- c) Worst-fit policy