

Name:	
Enrolment No:	

**UNIVERSITY OF PETROLEUM AND ENERGY STUDIES**  
**End Semester Examination, December 2021**

<b>Course: Operations Research</b> <b>Program: BBA (Analytics and Big Data)</b> <b>Course code: DSQT 2006</b>	<b>Semester: III</b> <b>Time: 03 Hours</b> <b>Max. Marks: 100</b>
---	---

**SECTION A** **( 20 Marks)**

1.	Each question in section A is a multiple-choice question with four answer choices. Read each question and choose the one best answer.	Marks	CO
i)	If two constraints do not intersect in the positive quadrant of the graph, then i) the problem is infeasible ii) the solution is unbounded iii) one of the constraints is redundant iv) none of the above	2	CO1
ii)	A variable which does not appear in the basic variable column of simplex table is i) never equal to zero ii) always equal to zero iii) called a basic variable iv) none of the above	2	CO1
iii)	As simulation is not an analytical model, therefore, the result of simulation must be viewed as i) Unrealistic ii) Exact iii) Approximation iv) simplified	2	CO1
iv)	In pure strategy game i) Any strategy may be selected arbitrarily ii) A particular strategy is selected by each player iii) Both players selected their optimal strategy iv) None of the above	2	CO1
v)	A saddle point exists when i) maximin value = maximax value ii) minimax value = minimum value iii) minimax value = maximin value iv) none of the above	2	CO1

<b>vi)</b>	Customer behaviour in which the customer moves from one queue to another in a multiple channel situation is <b>i)</b> balking <b>ii)</b> reneging <b>iii)</b> jockeying <b>iv)</b> alternating	<b>2</b>	<b>CO1</b>
<b>vii)</b>	Non-negativity condition is an important component of LP model because <b>i)</b> Variables value should remain under the control of the decision maker <b>ii)</b> Value of the variables make sense and corresponds to real world problems <b>iii)</b> Variables are interrelated in terms of limited resources <b>iv)</b> None of the above	<b>2</b>	<b>CO1</b>
<b>viii)</b>	While solving a LP model graphically, the area bounded by the constraints is called <b>i)</b> Feasible region <b>ii)</b> Infeasible region <b>iii)</b> Unbounded solution <b>iv)</b> None of the above	<b>2</b>	<b>CO1</b>
<b>ix)</b>	If for a given solution a slack variable is equal to zero then <b>i)</b> The solution is optimal <b>ii)</b> The solution is infeasible <b>iii)</b> The entire amount of resource with the constraints in which the slack variable appears has been consumed <b>iv)</b> All of the above	<b>2</b>	<b>CO1</b>
<b>x)</b>	The assignment problem <b>i)</b> Requires that only one activity be assigned to each resource <b>ii)</b> Is a special case of transportation problem <b>iii)</b> Can be used to maximize resources <b>iv)</b> All of the above	<b>2</b>	<b>CO1</b>

**SECTION B**

**( 20 Marks)**

**This section has 4 Questions of 5 marks each.**

**These questions are short answer type.**

**All the questions are compulsory.**

<b>2.</b>	What is meant by a feasible solution of an LP problem?	<b>5</b>	<b>CO2</b>
<b>3.</b>	What is an unbounded solution, and how is this condition recognized in the graphical method?	<b>5</b>	<b>CO2</b>
<b>4.</b>	Explain the artificial variables and its use in linear programming problem.	<b>5</b>	<b>CO2</b>
<b>5.</b>	What is meant by unbalanced transportation problem. What is degeneracy in transportation problem?	<b>5</b>	<b>CO2</b>

**SECTION-C**

**( 30 Marks)**

**This section has 3 Questions of 10 marks each, out of which first 2 Questions are compulsory. Questions 8 has internal choice to attempt any one.**

<b>6.</b>	<p>Solve the following LP problems using the simplex method.</p> <p style="text-align: center;"><b><math>Maz Z = x_1 + x_2 + x_3</math></b></p> <p><b>Subject to</b></p> <p style="text-align: center;"><b><math>3x_1 + 2x_2 + x_3 \leq 3</math></b>  <b><math>2x_1 + x_2 + 2x_3 \leq 2</math></b>  <b><math>x_1, x_2, x_3 \geq 0</math></b></p>	<b>10</b>	<b>CO3</b>																																																	
<b>7.</b>	<p>The following table provides all the necessary information on the availability of supply to each warehouse, the requirement of each market, and the unit transportation cost (in ₹) from each warehouse to each market</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td></td> <td></td> <td colspan="4" style="text-align: center;">Market</td> <td></td> </tr> <tr> <td></td> <td></td> <td style="border: 1px solid black;">P</td> <td style="border: 1px solid black;">Q</td> <td style="border: 1px solid black;">R</td> <td style="border: 1px solid black;">S</td> <td style="border: 1px solid black;">Supply</td> </tr> <tr> <td style="text-align: right;">Warehouse</td> <td style="border: 1px solid black;">A</td> <td style="border: 1px solid black; text-align: center;">6</td> <td style="border: 1px solid black; text-align: center;">3</td> <td style="border: 1px solid black; text-align: center;">5</td> <td style="border: 1px solid black; text-align: center;">4</td> <td style="border: 1px solid black; text-align: center;">22</td> </tr> <tr> <td></td> <td style="border: 1px solid black;">B</td> <td style="border: 1px solid black; text-align: center;">5</td> <td style="border: 1px solid black; text-align: center;">9</td> <td style="border: 1px solid black; text-align: center;">2</td> <td style="border: 1px solid black; text-align: center;">7</td> <td style="border: 1px solid black; text-align: center;">15</td> </tr> <tr> <td></td> <td style="border: 1px solid black;">C</td> <td style="border: 1px solid black; text-align: center;">5</td> <td style="border: 1px solid black; text-align: center;">7</td> <td style="border: 1px solid black; text-align: center;">8</td> <td style="border: 1px solid black; text-align: center;">6</td> <td style="border: 1px solid black; text-align: center;">8</td> </tr> <tr> <td></td> <td style="border: 1px solid black;">Demand</td> <td style="border: 1px solid black; text-align: center;">7</td> <td style="border: 1px solid black; text-align: center;">12</td> <td style="border: 1px solid black; text-align: center;">17</td> <td style="border: 1px solid black; text-align: center;">9</td> <td style="border: 1px solid black;"></td> </tr> </table> <p>The shipping clerk of the shipping agency has worked out the following schedule, based on his own experience: 12 units from A to Q, 1 unit from A to R, 9 units from A to S, 15 units from B to R, 7 units from C to P and 1 unit from C to R. Check and see if the clerk has the optimal schedule.</p>			Market							P	Q	R	S	Supply	Warehouse	A	6	3	5	4	22		B	5	9	2	7	15		C	5	7	8	6	8		Demand	7	12	17	9		<b>10</b>	<b>CO3</b>							
		Market																																																		
		P	Q	R	S	Supply																																														
Warehouse	A	6	3	5	4	22																																														
	B	5	9	2	7	15																																														
	C	5	7	8	6	8																																														
	Demand	7	12	17	9																																															
<b>8.</b>	<p>An airline company has drawn up a new flight schedule that involves five flights. To assist in allocating five pilots to the flights, it has asked them to state their preference scores by giving each flight a number out of 10. The higher the number, the greater is the preference. A few of these flights are unsuitable to some pilots, owing to domestic reasons. These have been marked with ‘×’</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td></td> <td></td> <td colspan="5" style="text-align: center;">Flight Number</td> </tr> <tr> <td></td> <td></td> <td style="border: 1px solid black;">1</td> <td style="border: 1px solid black;">2</td> <td style="border: 1px solid black;">3</td> <td style="border: 1px solid black;">4</td> <td style="border: 1px solid black;">5</td> </tr> <tr> <td style="text-align: right;">Pilot</td> <td style="border: 1px solid black;">A</td> <td style="border: 1px solid black; text-align: center;">8</td> <td style="border: 1px solid black; text-align: center;">2</td> <td style="border: 1px solid black; text-align: center;">x</td> <td style="border: 1px solid black; text-align: center;">5</td> <td style="border: 1px solid black; text-align: center;">4</td> </tr> <tr> <td></td> <td style="border: 1px solid black;">B</td> <td style="border: 1px solid black; text-align: center;">10</td> <td style="border: 1px solid black; text-align: center;">9</td> <td style="border: 1px solid black; text-align: center;">2</td> <td style="border: 1px solid black; text-align: center;">8</td> <td style="border: 1px solid black; text-align: center;">4</td> </tr> <tr> <td></td> <td style="border: 1px solid black;">C</td> <td style="border: 1px solid black; text-align: center;">5</td> <td style="border: 1px solid black; text-align: center;">4</td> <td style="border: 1px solid black; text-align: center;">9</td> <td style="border: 1px solid black; text-align: center;">6</td> <td style="border: 1px solid black; text-align: center;">x</td> </tr> <tr> <td></td> <td style="border: 1px solid black;">D</td> <td style="border: 1px solid black; text-align: center;">3</td> <td style="border: 1px solid black; text-align: center;">6</td> <td style="border: 1px solid black; text-align: center;">2</td> <td style="border: 1px solid black; text-align: center;">8</td> <td style="border: 1px solid black; text-align: center;">7</td> </tr> <tr> <td></td> <td style="border: 1px solid black;">E</td> <td style="border: 1px solid black; text-align: center;">5</td> <td style="border: 1px solid black; text-align: center;">6</td> <td style="border: 1px solid black; text-align: center;">10</td> <td style="border: 1px solid black; text-align: center;">4</td> <td style="border: 1px solid black; text-align: center;">3</td> </tr> </table> <p>What should be the allocation of the pilots to flights in order to meet as many preferences as possible?</p> <p style="text-align: center;"><b>OR</b></p>			Flight Number							1	2	3	4	5	Pilot	A	8	2	x	5	4		B	10	9	2	8	4		C	5	4	9	6	x		D	3	6	2	8	7		E	5	6	10	4	3	<b>10</b>	<b>CO3</b>
		Flight Number																																																		
		1	2	3	4	5																																														
Pilot	A	8	2	x	5	4																																														
	B	10	9	2	8	4																																														
	C	5	4	9	6	x																																														
	D	3	6	2	8	7																																														
	E	5	6	10	4	3																																														

A glass factory that specializes in crystal is developing a substantial backlog and for this the firm's management is considering three courses of action: To arrange for subcontracting (S1), to begin overtime production (S2), and to construct new facilities (S3). The correct choice depends largely upon the future demand, which may be low, medium, or high. By consensus, management ranks the respective probabilities as 0.10, 0.50 and 0.40. A cost analysis reveals the effect upon the profits. This is shown in the table below:

Demand	Probability	Course of Action		
		S1 (Subcontracting)	S2 (Begin Overtime)	S3 (Construct Facilities)
Low (L)	0.1	10	-20	-150
Medium (M)	0.5	50	60	20
High (H)	0.4	50	100	200

Determine the expected opportunity losses, given no other information than that stated above, and state which strategy is preferable.

**SECTION-D**

**( 30 Marks)**

**This section has 2 Questions of 15 marks each, out of which Question 9 is compulsory and Question 10 has internal choice to attempt any one.**

**9.** The following table provides all the necessary information on the availability of supply to each warehouse, the requirement of each market, and the unit transportation cost (in ₹) from each warehouse to each market.

Warehouse	Market				Supply
	P	Q	R	S	
A	6	3	5	4	22
B	5	9	2	7	15
C	5	7	8	6	8
Demand	7	12	17	9	

Find out optimal cost and route of transportation.

**15**

**CO4**

**10.** The maintenance cost and resale value per year of a machine whose purchase price is Rs. 7000/- is given below:

Year	1	2	3	4	5	6	7	8
Maintenance Cost in ₹	900	1200	1600	2100	2800	3700	4700	5900
Resale value in ₹	4000	2000	1200	600	500	400	400	400

Determine the optimum period of replacement of the machine.

**OR**

Solve the game whose payoff matrix as following and find out the value of the game.

		B's strategy		
		I	II	III
A's strategy	I	1	7	2
	II	6	2	7
	III	5	1	6

15

CO4